Supplementary Table 2. List of additional references scanned to extract additional data on predation intensities and site selectivity of naticid confamilial predation. These resources listed naticid gastropod but did not mention predation intensity or site selectivity of confamilial naticid predation data.

- Allison, E.C. 1955. Middle Cretaceous Gastropoda from Punta China, Baja California, Mexico. Journal of Paleontology. 1: 400-432.
- Ansell, A.D., Macé, A.M. 1978. Comparative studies of the gastropod, Polinices alderi from Mediterranean and North Atlantic populations. Haliotis. 9: 65-72.
- 3. Bandel, K. 1999. On the origin of the carnivorous gastropod group Naticoidea (Mollusca) in the Cretaceous with description of some convergent but unrelated groups. Greifswalder Geowissenschaftliche Beiträge. 6: 143-175.
- 4. Beistro, F.I., Medcof, J., Lord, I. 1965. Clam drill (*Polinices*) investigations at St Andrews. 1948. Manuscript Reports of the Biological Stations, Report 845.
- Berg, C.J. 1976. Ontogeny of Predatory Behavior in Marine Snails (Prosobranchia: Naticidae). The Nautilus. 90: 1-4.
- Bryan and Jones.1989. Fabric of the Cretaceous -Tertiary marine macrofaunal transition at Braggs, Alabama. Paleo3
- Chattopadhyay, D. 2009. Predation in molluscs: A multi-taxon approach using neontological and paleontological data. ProQuest.
- Chattopadhyay, D., Sarkar, D., Dutta, S., Prasanjit, S.R. 2014. What controls cannibalism in drilling gastropods? A case study on *Natica tigrina*. Palaeogeography, Palaeoclimatology, Palaeoecology. 410: 126-133.
- Eames, F.E. 1952. A contribution to the study of the Eocene in western Pakistan and western India C. The description of the Scaphopoda and Gastropoda from Standard sections in the Rakhi Nala and Zinda Pir areas of the western Punjab and in the Kohat district. Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences. 107:1-168.
- 10. Gardner, 1926. The molluscan fauna of the Alum Bluff Group of Florida. No. 142. US Government Printing Office.
- 11. Gardner, J.A., Vaughan, T.W., Popenoe, W.P. 1935. The Midway Group of Texas. The University.
- 12. Gardner, J.A., Mansfield, W.C. 1943. Mollusca from the Miocene and lower Pliocene of Virginia and North Carolina. No. 199. US Government Printing Office.
- 13. Gould, E.S. 2010. Unexpected rates of cannibalism under competitive conditions by the naticid gastropod *Neverita duplicata* (Say). Diss. U. North Carolina Wilmington.
- 14. Griffin, M., Hünicken, M.A. 1994. Late Cretaceous-Early Tertiary gastropods from southwestern Patagonia, Argentina. Journal of Paleontology. 68: 257-274.
- Harzhauser, M., 2014. A seagrass-associated Early Miocene Indo-Pacific gastropod fauna from South-West India (Kerala). Palaeontographica Abteilung. A: 73-178.
- Harzhauser, M., Reuter, M., Piller, W.E., Berning, B., Kroh, A., Mandic, O. 2009. Oligocene and Early Miocene gastropods from Kutch (NW India) document an early biogeographic switch from Western Tethys to Indo-Pacific. Paläontologische Zeitschrift. 83: 333-372.
- Heidelberger, D., Amler, M.R. 2002. Devonian Gastropoda from the Dornap "Massenkalk" complex (Bergisches Land, Germany). Paläontologische Zeitschrift. 76: 317-329.
- 18. Hislop, S., 1860. On the Tertiary deposits, associated with trap-rock, in the East Indies with descriptions of the Fossil shells, by the Rev. S. Hislop; and of the fossil insects, by Andrew Murray, Esq., FRSE; and a note on the fossil Cypridæ, by T. Rupert Jones, Esq., FGS. Quarterly Journal of the Geological Society, 16: 154-166.
- 19. Hoffman, A., 1978. Character shift in the naticid gastropods from the Badenian (Miocene) of Poland. Acta Palaeontologica Polonica, 23: 31-39.

- Jain, R.L. 2014. Neogene fossils from Kathiawar, Gujarat, India with special emphasis on taxonomic description of molluscs and corals. Geological Survey of India.
- Jaitly, A.K., Fürsich, F.T., Heinze, M. 1995. Contributions to the Jurassic of Kachchh, western India. IV. The bivalve fauna. Part I. Subclasses Palaeotaxodonta, Pteriomorpha, and Isofilibranchia. Beringeria. 16: 147-257.
- Kabat, A.R. 2000. Results of the Rumphius Biohistorical Expedition to Ambon (1990). Part 10. Mollusca, Gastropoda, Naticidae. Zoologische Mededelingen. 73: 345-380.
- 23. Kaim, A., Jenkins, R.G., Hikida, Y. 2009. Gastropods from Late Cretaceous Omagari and Yasukawa hydrocarbon seep deposits in the Nakagawa area, Hokkaido, Japan. Acta Palaeontologica Polonica. 54: 463-490.
- Kase, T. 1984. Early Cretaceous marine and brackish-water Gastropoda from Japan. National Science Museum Monographs. 1: 1-189.
- 25. Kensley, B.F., Pether, J. 1986. Late tertiary and early quaternary fossil mollusca of the Hondeklip area, Cape Province, South Africa. 97. South African Museum.
- Khosla, S.C. 2000. Atlas of Early Palaeogene invertebrate fossils of the Himalayan foothills belt. Geological Society of India. 56: 229-230.
- Kulkarni, K.G., Kapoor, S.B., Borkar, V.D. 2010. Molluscan fauna from the Miocene sediments of Kachchh, Gujarat, India—Part 3. Gastropods. Journal of earth system science. 119: 307-341.
- 28. MacNeil, F.S., 1964. Eocene megafossils from Ishigaki-shima, Ryukyu-retto. No. 399-B.
- 29. Mansfield, W.C. 1930. Miocene gastropods and scaphopods of the Choctawhatchee Formation of Florida. Bulletin 3. Florida state Geological Survey.
- Marwick, J. 1965. Upper Cenozoic Mollusca of Wairoa District, Hawkes Bay. New Zealand Department of Scientific and Industrial Research, New Zealand Geological Survey.
- Marwick, J. 1931. The tertiary mollusca on the Gisborne district. Paleontological Bulletin. NZ Geological survey. 13:1-177.
- 32. Petuch, E.J. Atlas of Florida Fossil Shells. (Pliocene and Pleistocene Marine Gastropods).
- Popenoe, W.P., Saul, L.R., Susuki, T. 1987. Gyrodiform gastropods from the Pacific coast Cretaceous and Paleocene. Journal of Paleontology. 61: 70-100.
- delRio, C.J. 2014. Tertiary Marine Molluscan Assemblages of Eastern Patagonia (Argentina): A Biostratigraphic Analysis. Journal of Paleontology. 78: 1097-1122.
- del Rio, C.J. 2012. A New Early Danian Gastropod Assemblage from Northern Patagonia, Río Negro Province, Argentina. Journal of Paleontology. 86:1002-1016
- 36. Savazzi, E., Reyment, R.A. 1989. Subaerial hunting behaviour in Natica gualteriana (naticid gastropod). Palaeogeography, palaeoclimatology, palaeoecology. 74: 355-364.
- Schnetler, K. I. 2001. The Selandian (Paleocene) mollusc fauna from Copenhagen, Denmark: the Poul Harder 1920 collection. Geology of Denmark Survey Bulletin. No. 3 7.
- Sohl, N.F. 1965. Marine Jurassic gastropods, central and southern Utah. No. 503-D. US Government Printing Office.
- 39. Sohl, N.F. 1967. Upper Cretaceous gastropods from the Pierre Shale at Red Bird, Wyoming. US Government Printing Office.
- Stoliczka, F. 1867.Cretaceous fauna of Southern India II the Gastropoda. Memoirs of the geological survey of India. Palaeontologia Indica. No. 2.
- 41. Thomas A.D., Kendrick, G.W. 2008. Silicified Eocene molluscs from the Lower Murchison district, Southern Carnarvon Basin, Western Australia. Records of the Western Australian Museum. 24: 217-246.
- 42. Vredenburg, E.W. 1928. Descriptions of mollusca from the Post-Eocene Tertiary formation of North-Western India: Gastropoda (in part) and lamellibranchiate. Memoir of Geological Survey of India. 50: 351-506.
- Wade, B. 1926. The fauna of the Ripley Formation on Coon Creek, Tennessee. No. 137. US Government Print Office.
- 44. Allmon, W.D., Harris, W.B. 2008. A new species of turritelline gastropod from a turritelline-dominated limestone in the Paleocene of North Carolina. Journal of Paleontology. 82: 442-446.

45. William J. Zinsmeister.1981.Middle to Late Eocene Invertebrate Fauna from the San Julian Formation at Punta Casamayor,Santa Cruz Province, Southern Argentina. Journal of Paleontology. 55: 1083-1102.